

# PAVEMENT

*serving Maintenance & Reconstruction contractors*

May 1998

Volume 13/Number 4



- 1998 Annual Distributor Directory ■ Is your town ready for contract sweeping?
- Warranty contracts for pavement marking ■ Subcontracting work zone safety



















Even if it is heatbonded, excessive traffic and excessive braking can damage overlaps and the fabric.

large wrinkles in the fabric at each adjustment. Continue this all the way around the curve. After slitting the wrinkles the effect will be similar to pie-shape placement.

Units on larger horsepower tractors and behind oil trucks can install around curves almost wrinkle free. The faster the fabric turns and is tensioned the smoother the installation with these units. **BWP**

*Mounque Barazone is president of Geotextile Apparatus Co.*




sweep more.

Do not attempt to drive around the curve. Drive straight passes, then make one big, quick adjustment with the tractor, almost like "hopping."

This will place one or two

When paving on one pass while installing another care must be taken to leave 6 inches of fabric unpaved to overlap on.



## THE EVOLUTION OF PAVING TECHNOLOGY

Build on last year's success.

Invest in the technology of the future.

Using StreetPrint surfacing technology, you can pave less but make more profit. StreetPrint's unprecedented flexibility opens new markets and gives access to new projects.

Adding StreetPrint to your business is easy and cost effective. Your crew will be quickly trained and have on-going access to our technical assistance. Marketing is supported with proven regional and national programs.

Only limited numbers of StreetPrint licences are available. Act now and set yourself apart from the competition.

**StreetPrint**  
SURFACING TECHNOLOGY

For information on a demonstration in your area or for additional information, please call 1-888-581-2299  
<http://www.streetprint.com>

INDICATE 115 ON INQUIRY CARD